

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	361	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR program\$4) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:21
L3	1587	(711/163).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/21 10:19
L4	6	L2 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:19
L5	3	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:38
L6	4	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:24
L7	28	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) WITH (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:50
L8	38	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) SAME ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) WITH (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:52
L9	11	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicat\$3)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:22

## EAST Search History

L10	0	(arithmetic near2 (operation\$1 OR instruction\$1)) WITH ((status ADJ register\$1) near3 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:30
L11	1	(arithmetic near5 (operation\$1 OR instruction\$1)) SAME (((status ADJ register\$1) near5 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:31
L12	1	(arithmetic near5 (operation\$1 OR instruction\$1)) SAME (((status ADJ register\$1)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:31
L13	1	((((status ADJ register\$1) near5 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:32
L14	1	((((status ADJ register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:34
L15	1	((((status ADJ register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:35
L16	21	((((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:36

## EAST Search History

L17	32	((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) WITH (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:36
L18	651	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) SAME ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:41
L19	503	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:49
L20	36	L19 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:41
L21	1	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:42
L23	470	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:50
L24	85	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3)) WITH status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:51
S1	1	("20010008015").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/16 11:23

## EAST Search History

S2	75	(US-4797853-\$ or US-4924427-\$ or US-5504817-\$ or US-4519032-\$ or US-4623206-\$ or US-4755150-\$ or US-4835697-\$ or US-4837650-\$ or US-4852934-\$ or US-4912568-\$ or US-4930073-\$ or US-4941141-\$ or US-4986618-\$ or US-5179871-\$ or US-5203218-\$ or US-5211459-\$ or US-5225825-\$ or US-5233491-\$ or US-5237616-\$ or US-5249231-\$ or US-5251304-\$ or US-5257617-\$ or US-5259748-\$ or US-5263147-\$ or US-5268962-\$ or US-5297681-\$).did. or (US-5329935-\$ or US-5359721-\$ or US-5367571-\$ or US-5369709-\$ or US-5381540-\$ or US-5389919-\$ or US-5407846-\$ or US-5418956-\$ or US-5436857-\$ or US-5475919-\$ or US-5485142-\$ or US-5508531-\$ or US-5517375-\$ or US-5531328-\$ or US-5537292-\$ or US-5553019-\$ or US-5555490-\$ or US-5576850-\$ or US-5604846-\$ or US-5615264-\$ or US-5680581-\$ or US-5684948-\$ or US-5706239-\$ or US-5722709-\$ or US-5724274-\$ or US-5757919-\$ or US-5764099-\$).did. or (US-5764762-\$ or US-5767831-\$ or US-5767910-\$ or US-5771448-\$ or US-5802590-\$ or US-5805074-\$ or US-5803761-\$ or US-5838538-\$ or US-5867655-\$ or US-5870286-\$ or US-5913081-\$ or US-5917793-\$ or US-5940516-\$ or US-5953502-\$ or US-5956655-\$ or US-5968136-\$ or US-5987604-\$ or US-5991778-\$ or US-6003776-\$ or US-6016490-\$ or US-6023716-\$ or US-6034740-\$).did.	USPAT	OR	ON	2007/05/16 11:24
S3	853136	matsushita.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 15:39
S4	31889	(matsushita ADJ electric ADJ industrial).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 15:40
S5	12	S4 AND (secure ADJ information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 15:42

## EAST Search History

S6	1	("4523271").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/14 15:35
S7	16	((instruct\$3 OR command\$3) near5 (fetch\$3 OR load\$3)) WITH (determin\$3 OR indicat\$3 OR establish\$3) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM OR ROM)) WITH address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 17:52
S8	10	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicator\$1)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:53
S9	55	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status OR flag\$1 OR indicator\$1)) SAME (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 10:16
S10	4	(context ADJ switch\$3) near5 stack\$1 near5 (RAM OR SDRAM OR SRAM OR DRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:15
S11	12	(context ADJ switch\$3) SAME stack\$1 SAME (RAM OR SDRAM OR SRAM OR DRAM) SAME interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 14:20
S13	1585	(711/163).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/20 14:21
S14	19	(US-20040187019-\$ or US-20040088554-\$ or US-20040045003-\$).did. or (US-5987604-\$ or US-5684948-\$ or US-5680581-\$ or US-5237616-\$ or US-5249231-\$ or US-4930073-\$ or US-4519032-\$ or US-6732106-\$ or US-4523271-\$ or US-6101586-\$ or US-5414864-\$ or US-4999770-\$ or US-4713749-\$ or US-5386552-\$).did. or (EP-661642-\$).did. or (JP-2000347858-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/06/20 14:52
S15	5	S14 AND (DMA OR direct ADJ memory ADJ access\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/06/20 14:53